



PRODUCT CATALOGUE

———— JUNE 2024 ————



About us


At GJAKS Lighting Co., we are driven by a passion for innovation and a commitment to excellence. Our cutting-edge LED lighting products seamlessly blend functionality, aesthetics, and energy efficiency, catering to both residential and commercial spaces with a harmonious fusion of design and performance.

A Luminous journey born from decades of expertise and an unwavering dedication to brightening lives, GJAKS is a testament to meticulous craftsmanship and state-of-the-art technology. Our diverse range of LED solutions transforms spaces into canvases of radiant brilliance, transcending mere illumination and elevating your world.

Discover the GJAKS difference and experience lighting that invites warmth, ambiance, and uncompromising performance - a luminous journey where innovation meets artistry.




CERTIFICATIONS



CONCEAL BIS CERTIFICATE



FLOOD LIGHT BIS CERTIFICATE



SURFACE BIS CERTIFICATE



STREET LIGHT BIS CERTIFICATE



UDYAM REGISTRATION CERTIFICATE	
UDYAM REGISTRATION NUMBER	UDYAM-GJ-01-444068
NAME OF ENTERPRISE	M. G. JAKS LIGHTING COMPANY
TYPE OF ENTERPRISE	MICRO
SECTOR	MANUFACTURING
INDUSTRY SECTOR	GENERAL
NAME OF UNIT	NAME OF UNIT
INDUSTRY TYPE	INDUSTRY TYPE
INDUSTRY CODE	INDUSTRY CODE
INDUSTRY SUB CODE	INDUSTRY SUB CODE
INDUSTRY CLASSIFICATION	INDUSTRY CLASSIFICATION
DATE OF COMMENCEMENT OF BUSINESS	27/08/2011
STATE OF BUSINESS	27/08/2011
<p>BE A CHAMPION with the Ministry of</p>	

UDYAM REGISTRATION CERTIFICATE

Certificate of Registration

This is to certify that **G JAKS LIGHTING COMPANY**
 HSEED NO. 26, SOMNARIPA PATIL, ESTATE, BH ANSI, STARCH, OPP. MANNEKSHIBAI TRL, AHMEDABAD, AHMEDABAD, GUJARAT, 380025, INDIA
 has been independently assessed by QRO and is compliant with the requirement of **ISO 9001:2015**
Quality Management System

For the following scope of activities:
 DESIGN, DEVELOPMENT & MANUFACTURING OF LED LIGHTING, LED PANEL LIGHTS, LED COB LIGHT, LED WALL LIGHTS, LED FLOOD LIGHT, LED DOWNLIGHT, LED STREET LIGHT, LED TRACK LIGHT, LED FOOT LIGHT, LED TUBE LIGHT, LED DIMMER, LED STROB LIGHT, LED BAY LIGHT

Date of Certificate: 27th May 2023
 27th Anniversary Audit Date: 26th May 2024
 Certificate Validity: 26th May 2025

Certificate Number: **30520231232Q**

Logo of QRO Quality Research Organisation

ISO MARK CERTIFICATE

Trade Mark Certificate

Government of India
 भारत सरकार
 Trademark Registry
 Trade Marks Act, 1999
 ब्राह्मण निकाय विधानसभा के अधिनियम, 1999 (1) अधिनियम
 Certificate of Registration of Trade Mark, Section 23 (2), Rule 56 (1)

Trade Mark No. 4208116
 Date of Issue: 19/08/2019

LED LIGHTING

Class: 11 Under No. 4208116 on date of 19 August 2019 in respect of Goods and service as assessed

Trade Mark as assessed

Issued at: Mumbai, India
 Date: 19 August 2019

Registrar of Trademarks

TRADE MARK CERTIFICATE

Recessed Certificate

Bureau of Indian Standards (BIS) is pleased to inform you that your product has been tested and found to conform to the following Indian Standard:

IS 10001 (Part 2) : 2011

LED LIGHTING

Details:
 Product Name: LED LIGHTING
 Drawing No: IS 10001 (Part 2) : 2011
 Issue Date: 2011
 Revision: 1
 Approved by: BIS

The Bureau of Indian Standards (BIS) is pleased to inform you that your product has been tested and found to conform to the following Indian Standard: IS 10001 (Part 2) : 2011

The Bureau of Indian Standards (BIS) is pleased to inform you that your product has been tested and found to conform to the following Indian Standard: IS 10001 (Part 2) : 2011

The Bureau of Indian Standards (BIS) is pleased to inform you that your product has been tested and found to conform to the following Indian Standard: IS 10001 (Part 2) : 2011

RECESSED CERTIFICATE

Driver Certificate

Bureau of Indian Standards (BIS) is pleased to inform you that your product has been tested and found to conform to the following Indian Standard:

IS 10001 (Part 2) : 2011

LED LIGHTING

The Bureau of Indian Standards (BIS) is pleased to inform you that your product has been tested and found to conform to the following Indian Standard: IS 10001 (Part 2) : 2011


The Bureau of Indian Standards (BIS) is pleased to inform you that your product has been tested and found to conform to the following Indian Standard: IS 10001 (Part 2) : 2011

The Bureau of Indian Standards (BIS) is pleased to inform you that your product has been tested and found to conform to the following Indian Standard: IS 10001 (Part 2) : 2011


DRIVER CERTIFICATE



COLOR TEMPERATURE



3 IN 1 LIGHT




CHANGE COLOR OF LIGHT AS PER YOUR MOOD TO SUIT THE RIGHT AMBIENCE, WITH JUST ON AND OFF OF A SWITCH

3 IN 1 TOGGLE SWITCH



NOW FEATURING A BUILT-IN TOGGLE SWITCH ON THE DRIVER, ALLOWING YOU TO EFFORTLESSLY SELECT YOUR PREFERRED COLOR TEMPERATURE - CHOOSE BETWEEN WARM 3K, NEUTRAL 4K, OR COOL 5K BEFORE INSTALLATION. ILLUMINATE YOUR SPACE EXACTLY THE WAY YOU DESIRE.

DIMMABLE & TUNABLE




DIMMABLE HIGH TO LOW



TUNABLE



D&T REMOTE CONTROL



CAN ALSO BE CONTROLLED THROUGH MOBILE APPLICATION

Available on :-



Google Play



App Store

CONTROL THE BRIGHTNESS & COLOR OF LIGHT WITH REMOTE OPERATION

A Word from Our Director,
Mr. Ghanshyam Agrawal

Since 1995, I've navigated countless challenges within the electrical industry, paving the way for the birth of GJAKS LED Lighting Solutions. Our vision is to provide comprehensive solutions that address industry pain points while pushing the boundaries of what's possible in lighting.

We strongly believe in self-dependency and control, which is why we manufacture our own custom dyes. This enables us to maintain stringent quality standards, optimize pricing, and swiftly respond to market demands, ensuring unparalleled efficiency and customer satisfaction.

Moreover, at GJAKS, we thrive on innovation, constantly adding new ranges to our portfolio every day. We are committed to expanding our offerings, providing new varieties without compromising on quality, ensuring that our customers always have access to the latest and most advanced lighting solutions.



PANEL LIGHTS



LINEA PVC
CONCEAL



LINEA PVC
SURFACE



CLASSIC SLIM
CONCEAL



CLASSIC SLIM
SURFACE



HECTOR TRIMLESS
CONCEAL



HECTOR TRIMLESS
SURFACE



ACE BORDERLESS
CONCEAL



ACE BORDERLESS
SURFACE



DOUBLE COLOR
CONCEAL



DOUBLE COLOR
SURFACE



ASPIRE
DOWNLIGHT



ASPIRE PVC
DOWNLIGHT



IRIS
DOWNLIGHT



CERA
DOWNLIGHT



2X2 PANEL
LIGHT



HANGING
LIGHT

COB LIGHTS



CRETA COB



NEBULA COB



MAGNA COB



MAGNA SQ



MAGNA DUO



BLISS MOVABLE



SKY COB



GLANZA



CURVE COB



STARLINK



RAY COB



ROYAL RING



SMART COB



CURVE BUTTON



34

NANO BUTTON



35

VISION LINEAR



36

SHARP LINEAR



37

TRIO BAMBOO COB



38

ONYX ROCKET



39

SPARK CONCEAL



40

SWIING WALL LIGHT



41

ARCH TRACK LIGHT




42

APOLLO TRACK LIGHT



43

AQUA TRACK LIGHT




44

TRACK TRUNK



45

NOVA CYLINDER



46

GRACE CYLINDER



47

ALPHA CYLINDER



48

SUPERNOVA CYLINDER



49

SKYLINE DOWNLIGHT



50

ORA CYLINDER



51

7W PVC ELITE JUNCTION



51

4W PVC ELITE JUNCTION



52

2W PVC ADORE BUTON




52

4W PVC STRIKER



53

WHATERPROOF STRIKER



54

MIRROR LIGHT

MAGNETIC TRACK & SLIM MAGNETIC LIGHT



57

GMT - 01



57

GMT - 02



57

GMT - 03



58

GMT - 04



58

GMT-05



58

DRIVER



59

MAGNETIC TRACK TRUNK



59

ACCESSORIES



61

SMT - 01



61

SMT - 02



61

SMT - 03



62

SMT - 04



62

SMT - 05



62

SMT - 06

STRIP & ROPE LIGHT

FLOOD & STREET LIGHT



PANEL LIGHT



LINEA PVC
CONCEAL




LINEA PVC
SURFACE



CLASSIC SLIM
CONCEAL



CLASSIC SLIM
SURFACE



HECTOR TRIMLESS
CONCEAL



HECTOR TRIMLESS
SURFACE



ACE BORDERLESS
CONCEAL



ACE BORDERLESS
SURFACE



DOUBLE COLOR
CONCEAL



DOUBLE COLOR
SURFACE



ASPIRE METAL
DOWNLIGHT



ASPIRE PVC
DOWNLIGHT



IRIS
DOWNLIGHT



CERA
DOWNLIGHT



2X2
PANEL LIGHT



HANGING
LIGHT



LINEA PVC CONCEAL

9W

OUTER	115X115
CUTOUTØ	100X100
BEAM ANGLE	120°
LUMENS	≥900

COLOR

6K 4K 3K  3IN ONE

15W

OUTER	165X165
CUTOUTØ	155X155
BEAM ANGLE	120°
LUMENS	≥1500

COLOR

6K 4K 3K  3IN ONE

22W

OUTER	165X165
CUTOUTØ	155X155
BEAM ANGLE	120°
LUMENS	≥2200

COLOR

6K 4K 3K

26 TO 28
LUMENS
PER LED

 FLICKER
FREE

2.5KV
SURGE
PROTECTION

LINEA PVC SURFACE

9W

OUTER 115X115

HEIGHT 38

BEAM ANGLE 120°

LUMENS ≥900

COLOR

6K 4K 3K  3IN ONE

15W

OUTER 165X165

HEIGHT 38

BEAM ANGLE 120°

LUMENS ≥1500

COLOR

6K 4K 3K  3IN ONE

22W

OUTER 165X165

HEIGHT 38

BEAM ANGLE 120°

LUMENS ≥2200

COLOR

6K 4K 3K

26 TO 28
LUMENS
PER LED

 FLICKER
FREE

2.5KV
SURGE
PROTECTION



CLASSIC SLIM CONCEAL

8W

OUTER	120X120
CUTOUTØ	100X100
BEAM ANGLE	120°
LUMENS	≥ 800

COLOR



15W

OUTER	170X170
CUTOUTØ	155X155
BEAM ANGLE	120°
LUMENS	≥ 1500

COLOR



22W

OUTER	225X225
CUTOUTØ	205X205
BEAM ANGLE	120°
LUMENS	≥ 2200

COLOR



26 TO 28
LUMENS
PER LED

FLICKER
FREE

CLASSIC SLIM SURFACE

8W

OUTER 120X120

HEIGHT 32

BEAM ANGLE 120°

LUMENS ≥ 800

COLOR

6K 4K 3K

15W

OUTER 170X170

HEIGHT 32

BEAM ANGLE 120°

LUMENS ≥ 1500

COLOR

6K 4K 3K

22W

OUTER 225X225

HEIGHT 32

BEAM ANGLE 120°

LUMENS ≥ 2200

COLOR

6K 4K



HECTOR TRIMLESS CONCEAL

6W

OUTER	90X90
CUTOUTØ	75X75
BEAM ANGLE	120°
LUMENS	≥ 570

COLOR

6K 4K

15W

OUTER	145X145
CUTOUTØ	120X120
BEAM ANGLE	120°
LUMENS	≥ 1425

COLOR

6K 4K

22W

OUTER	170X170
CUTOUTØ	150X150
BEAM ANGLE	120°
LUMENS	≥ 2090

COLOR

6K 4K

26 TO 28
LUMENS
PER LED

FLICKER
FREE

HECTOR TRIMLESS SURFACE

6W

OUTER 90X90

HEIGHT 28

BEAM ANGLE 120°

LUMENS ≥ 570

COLOR

6K 4K

15W

OUTER 145X145

HEIGHT 28

BEAM ANGLE 120°

LUMENS ≥ 1425

COLOR

6K 4K

22W

OUTER 170X170

HEIGHT 28

BEAM ANGLE 120°

LUMENS ≥ 2090


COLOR

6K 4K



FLICKER
FREE

26 TO 28
LUMENS
PER LED





ACE BORDERLESS CONCEAL

10W

OUTER	95X95
CUTOUT	70X70
BEAM ANGLE	120°
LUMENS	≥1100

COLOR

6K 4K 3K

15W

OUTER	120X120
CUTOUT	90X90
BEAM ANGLE	120°
LUMENS	≥1650

COLOR

6K 4K 3K

20W

OUTER	170X170
CUTOUT	142X142
BEAM ANGLE	120°
LUMENS	≥2200

COLOR

6K 4K



ACE BORDERLESS SURFACE

6W

OUTER 100X100

HEIGHT 31

BEAM ANGLE 120°

LUMENS ≥660

COLOR

6K 4K 3K

15W

OUTER 150X150

HEIGHT 31

BEAM ANGLE 120°

LUMENS ≥1650

COLOR

6K 4K 3K

20W

OUTER 200X200

HEIGHT 31

BEAM ANGLE 120°

LUMENS ≥2200

COLOR

6K 4K

26 TO 28
LUMENS
PER LED

FLICKER
FREE

2.5KV
SURGE
PROTECTION





DOUBLE COLOR CONCEAL

3+3W

OUTER	105X105
CUTOUT Ø	70X70
BEAM ANGLE	120°
LUMENS	≥680

6+3W

OUTER	145X145
CUTOUT Ø	110X110
BEAM ANGLE	120°
LUMENS	≥1275

12+4W

OUTER	195X195
CUTOUT Ø	150X150
BEAM ANGLE	120°
LUMENS	≥1870

3 STEP COLOR

WHITE + PGB



WHITE + PINK



WHITE + BLUE



DOUBLE COLOR SURFACE

3+3W

OUTER 105X105
HEIGHT 34
BEAM ANGLE 120°
LUMENS ≥680

6+3W

OUTER 145X145
HEIGHT 34
BEAM ANGLE 120°
LUMENS ≥1275

12+4W

OUTER 195X195
HEIGHT 34
BEAM ANGLE 120°
LUMENS ≥1870

3 STEP COLOR

WHITE + PGB



WHITE + PINK



WHITE + BLUE



ASPIRE DOWNLIGHT

12W

OUTER 110X50(H)

CUTOUT Ø 100

BEAM ANGLE 120°

LUMENS ≥1200

COLOR

6K 4K  3IN ONE  D&T

18W

OUTER 145X50(H)

CUTOUT Ø 137

BEAM ANGLE 120°

LUMENS ≥1800

COLOR

6K 4K  3IN ONE  D&T

24W

OUTER 168X50(H)

CUTOUT Ø 160

BEAM ANGLE 120°

LUMENS ≥2400

COLOR

6K 4K

BODY COLOR



BLACK



PKW

26 TO 28
LUMENS
PER LED

 FLICKER
FREE

2.5KV
SURGE
PROTECTION

ASPIRE PVC DOWNLIGHT

12W

OUTER 110X60(H)

CUTOUT Ø 100

BEAM ANGLE 120°

LUMENS ≥1320

COLOR

6K 4K 3K  3IN ONE

18W

OUTER 145X60(H)

CUTOUT Ø 137

BEAM ANGLE 120°

LUMENS ≥1950

COLOR

6K 4K 3K  3IN ONE

24W

OUTER 168X60(H)

CUTOUT Ø 160

BEAM ANGLE 120°

LUMENS ≥2640

COLOR

6K 4K 3K  3IN ONE

BODY COLOR



BLACK



PKW

26 TO 28
LUMENS
PER LED

 FLICKER
FREE

2.5KV
SURGE
PROTECTION





IRIS DOWNLIGHT

12W

OUTER (D)90X(H)48

CUTOUT Ø (D)83MM

BEAM ANGLE 110°

LUMENS ≥1080

COLOR

6K 4K

18W

OUTER (D)101X(H)52

CUTOUT Ø (D)93MM


BEAM ANGLE 110°

LUMENS ≥1620

COLOR

6K 4K

BODY COLOR



BLACK



PKW

26 TO 28
LUMENS
PER LED

FLICKER
FREE

2.5KV
SURGE
PROTECTION

CERA DOWNLIGHT

7W

OUTER 70X62(H)

CUTOUT Ø 60

BEAM ANGLE 110°

COLOR

3IN1 TOGGLE SWITCH



12W

OUTER 84X65(H)

CUTOUT Ø 75

BEAM ANGLE 110°

COLOR

3IN1 TOGGLE SWITCH



18W

OUTER 105X73(H)

CUTOUT Ø 95


BEAM ANGLE 110°

COLOR


3IN1 TOGGLE SWITCH



BODY COLOR



SHINING
BLACK



PKW



ROSE
GOLD

26 TO 28
LUMENS
PER LED

FLICKER
FREE

2.5KV
SURGE
PROTECTION





2X2 PANEL LIGHT

48W

SIZE 595X595MM

BEAM ANGLE 120°

LUMENS ≥ 4800

COLOR

6K 4K



FLICKER
FREE



4KV
SURGE
PROTECTION

HANGING LIGHT


48W

SIZE 1195X75X50


BEAM ANGLE 110°

COLOR


3IN1 TOGGLE SWITCH



BODY COLOR



BLACK



WHITE



**FLICKER
FREE**



**2.5KV
SURGE
PROTECTION**



COB LIGHT

21



CRETA COB

22



NEBULA COB

23



MAGNA COB

24



MAGNA SQ / DUO

25



BLISS MOVABLE

26



SKY COB

27



GLANZA COB

28



CURVE COB

29



ROYAL RING

30



SMART COB

31



STARLINK COB

32



RAY COB

33



CURVE BUTTON

34



NANO BUTTON

35



VISION LINEAR

36



SHARP LINEAR

37



TRIO BAMBOO

38



ONYX ROCKET

39



SPARK CONCEAL

40



SWING WALL LIGHT

41



ARCH TRACK LIGHT

42



APOLLO TRACK LIGHT

43



AQUA TRACK LIGHT

44



TRACK TRUNK

45



NOVA CYLINDER

46



GRACE CYLINDER

47



ALPHA CYLINDER

48



SUPERNOVA CYLINDER

49



SKYLINE DOWNLIGHT

50



ORA CYLINDER

51



4W PVC ELITE JUNCTION

51



7W PVC ELITE JUNCTION

52



2W ADORE BUTTON

52



4W STRIKER

53



WATERPROOF STRIKER

54



MIRROR LIGHT



CRETA COB

7W

OUTER 70X55(H)

CUTOUT Ø 60MM

BEAM ANGLE 36°

LUMENS ≥630

COLOR

3K 4K 6K

12W

OUTER 80X65(H)

CUTOUT Ø 75MM

BEAM ANGLE 36°

LUMENS ≥1200

COLOR

3K 4K 6K

18W

OUTER 95X80(H)

CUTOUT Ø 85MM

BEAM ANGLE 36°


LUMENS ≥1800

COLOR

3K 4K 6K



BODY COLOR




26 TO 28
LUMENS
PER LED

FLICKER
FREE

2.5KV
SURGE
PROTECTION

POWERED BY:
bridgelux
LED

ISOLATED
DRIVER



ALSO AVAILABLE WITH
HONEYCOMB REFLECTOR

NEBULA COB

7W

OUTER 70X55(H)
CUTOUT Ø 65MM
BEAM ANGLE 36°
LUMENS ≥ 600

COLOR

3K 4K 5K 6K

3IN ONE D&T

12W

OUTER 80X66(H)
CUTOUT Ø 75MM
BEAM ANGLE 36°
LUMENS ≥ 1200

COLOR

3K 4K 5K 6K

3IN ONE D&T

18W

OUTER 100X84(H)
CUTOUT Ø 90MM
BEAM ANGLE 36°
LUMENS ≥ 1800

COLOR

3K 4K 5K 6K

BODY COLOR



26 TO 28
LUMENS
PER LED

FLICKER
FREE

2.5KV
SURGE
PROTECTION

POWERED BY:
bridgelux
LED

ISOLATED
DRIVER

MAGNA COB

7W

OUTER 65X53(H)

CUTOUT Ø 58MM

BEAM ANGLE 36°

LUMENS ≥600

COLOR

3K 4K 5K 6K

3IN ONE D&T

12W

OUTER 80X75(H)

CUTOUT Ø 75MM

BEAM ANGLE 36°

LUMENS ≥1200

COLOR

3K 4K 5K 6K

3IN ONE D&T

18W

OUTER 95X95(H)

CUTOUT Ø 90MM

BEAM ANGLE 36°

LUMENS ≥1800

COLOR

3K 4K 5K 6K

BODY COLOR



BLACK



PKW

26 TO 28
LUMENS
PER LED

FLICKER
FREE

2.5KV
SURGE
PROTECTION

POWERED BY:
bridgelux
LED

ISOLATED
DRIVER




MAGNA SQ

12W

OUTER 80X75(H)
CUTOUT Ø 75MM
BEAM ANGLE 36°
LUMENS ≥1200

COLOR

3K 4K 6K



MAGNA DUO

12X2W

OUTER 184X105X85(H)
CUTOUT Ø 160X90
BEAM ANGLE 36°
LUMENS ≥1200 X 2


COLOR

3K 4K 6K

BODY COLOR



BLACK



PKW

26 TO 28
LUMENS
PER LED

FLICKER
FREE

2.5KV
SURGE
PROTECTION

POWERED BY:
bridgelux
LED

ISOLATED
DRIVER

BLISS MOVABLE

3W

OUTER 63X53(H)

CUTOUTØ 55MM

BEAM ANGLE 45°

LUMENS ≥270

COLOR

3K 4K 6K

7W

OUTER 78X68(H)

CUTOUTØ 70MM

BEAM ANGLE 60°

LUMENS ≥630

COLOR

3K 4K 6K

12W

OUTER 78X68(H)

CUTOUTØ 70MM

BEAM ANGLE 36°

LUMENS ≥1080

COLOR

3K 4K 6K

18W

OUTER 98X84(H)

CUTOUTØ 90MM

BEAM ANGLE 60°

LUMENS ≥1620

COLOR

3K 4K 6K

24W

OUTER 122X89(H)

CUTOUTØ 110MM

BEAM ANGLE 60°

LUMENS ≥2160

COLOR

3K 4K 6K

30W

OUTER 122X89(H)

CUTOUTØ 110MM

BEAM ANGLE 36°

LUMENS ≥2700

COLOR

3K 4K 6K





SKY COB

7W

OUTER 85X51(H)

CUTOUT Ø 75MM

BEAM ANGLE 120°

LUMENS ≥ 630

COLOR

3K 4K 6K  3IN ONE

12W

OUTER 100X59(H)

CUTOUT Ø 85MM

BEAM ANGLE 120°

LUMENS ≥ 1200

COLOR

3K 4K 6K  3IN ONE

20W

OUTER 125X67(H)

CUTOUT Ø 105MM

BEAM ANGLE 120°

LUMENS ≥ 2000

COLOR

3K 4K

BODY COLOR



BLK + RG



BLK + BLK



PKW + RG



PKW + BLK

 FLICKER FREE

2.5KV SURGE PROTECTION

ISOLATED DRIVER

GLANZA COB

7W

OUTER (D)62X(H)43

CUTOUT Ø 56MM

COLOR

3IN1 TOGGLE SWITCH



12W

OUTER (D)82X(H)45

CUTOUT Ø 75MM

COLOR

3IN1 TOGGLE SWITCH



18W

OUTER (D)98X(H)48

CUTOUT Ø 90MM

COLOR

3IN1 TOGGLE SWITCH



BODY COLOR




BLK + RG



BLK + SB



BEAM ANGLE ADJUSTABLE



CURVE COB

7W

OUTER 45X50(H)

CUTOUT Ø 38

BEAM ANGLE 36°

COLOR

3IN1 TOGGLE SWITCH



12W

OUTER 60X67(H)

CUTOUT Ø 52

BEAM ANGLE 40°

COLOR

3IN1 TOGGLE SWITCH



18W


OUTER 72X75(H)

CUTOUT Ø 65

BEAM ANGLE 60°

COLOR

3IN1 TOGGLE SWITCH



BODY COLOR



SHINING BLACK



ROSEGOLD



STARLINK COB

7W

OUTER (D)60X(H)53

CUTOUT Ø 55MM

BEAM ANGLE 40°

COLOR

3IN1 TOGGLE SWITCH



12W

OUTER (D)82X(H)74

CUTOUT Ø 75MM

BEAM ANGLE 38°

COLOR

3IN1 TOGGLE SWITCH



18W

OUTER (D)98X(H)88

CUTOUT Ø 75MM

BEAM ANGLE 45°

COLOR

3IN1 TOGGLE SWITCH



BODY COLOR



BLACK



ROSEGOLD



PKW

26 TO 28
LUMENS
PER LED

FLICKER
FREE

2.5KV
SURGE
PROTECTION

POWERED BY:
bridgelux
LED



RAY BUTTON



5W

CUTOUT 22MM
OUTER 30X65(H)
BEAM ANGLE 24°
LUMENS ≥550

COLOR

3K 4K

BODY COLOR



SHAINING BLACK

ROSE GOLD



G JAKS

30

ROYAL RING

7W

OUTER 80X50(H)
CUTOUT Ø 65MM
BEAM ANGLE 45°
LUMENS ≥630

COLOR

3K 4K 5K 6K 3IN1


12W

OUTER 108X70(H)
CUTOUT Ø 90MM
BEAM ANGLE 45°
LUMENS ≥1080


COLOR

3K 4K 5K 6K 3IN1

BODY COLOR



BLACK



PKW

FLICKER
FREE

2.5KV
SURGE
PROTECTION

ISOLATED
DRIVER



SMART COB

6W

OUTER 65X60(H)
CUTOUT Ø 55MM
BEAM ANGLE 25°
LUMENS ≥ 600

COLOR


3K 4K 5K 6K

12W

OUTER 85X83(H)
CUTOUT Ø 75MM
BEAM ANGLE 25°
LUMENS ≥ 1800

COLOR

3K 4K 5K 6K



BODY COLOR

BLK+BLK PKW+BLK



ISOLATED DRIVER

CURVE BUTTON

3W

OUTER 30X18(H)

CUTOUT Ø 43MM

BEAM ANGLE 36°


LUMENS ≥270

COLOR


3K **4K**



BODY COLOR



BLACK



PKW



ROSE GOLD



**ISOLATED
DRIVER**

NANO BUTTON



3W

OUTER 40X12(H)

CUTOUT Ø 34MM


BEAM ANGLE 36°

LUMENS ≥240

COLOR

3K 4K 6K

BODY COLOR



BLACK



PKW



ROSE GOLD



FLICKER
FREE



DOB

VISION LINEAR

5W

OUTER 55X55X55(H)
CUTOUT Ø 50X50MM
BEAM ANGLE 25°
LUMENS ≥450

COLOR

3K 4K

12W

OUTER 135X60X55(H)
CUTOUT Ø 125X50MM
BEAM ANGLE 25°
LUMENS ≥1200

COLOR

3K 4K

16W

OUTER 95X95X55(H)
CUTOUT Ø 85X85MM
BEAM ANGLE 25°
LUMENS ≥1600

COLOR

3K 4K

20W

OUTER 210X60X55(H)
CUTOUT Ø 205X50MM
BEAM ANGLE 25°
LUMENS ≥2000

COLOR

3K 4K

BODY COLOR



BLK + CHROME



SHARP LINEAR

10W

OUTER 148X45X32(H)
CUTOUT Ø 139X33MM
BEAM ANGLE 24°
LUMENS ≥ 900

COLOR


3K 4K 6K

20W

OUTER 280X45X32(H)
CUTOUT Ø 270X30MM
BEAM ANGLE 24°
LUMENS ≥ 1800

COLOR

3K 4K 6K



BODY COLOR



BLK + RG



PKW + RG



BLK + SB



PKW + SB



TRIO BAMBOO

7W

OUTER 61X86(H)

CUTOUT Ø 55MM

BEAM ANGLE 36°

LUMENS ≥ 630

COLOR

3K 4K

12W

OUTER 84X104(H)

CUTOUT Ø 75MM

BEAM ANGLE 36°

LUMENS ≥ 1200


COLOR

3K 4K

BODY COLOR



BLACK



PKW



ISOLATED
DRIVER



PKW



BLACK

ONYX ROCKET

12W

OUTER 90X102(H)

CUTOUT Ø 82MM

BEAM ANGLE 38°

LUMENS ≥1200

COLOR

3K 4K



BODY COLOR



BLACK



PKW



ISOLATED
DRIVER



PKW



BLACK

G JAKS

38

SPARK TRACK LIGHT

7W

OUTER 68(D)X100(H)
CUTOUT Ø 60MM
BEAM ANGLE 36°
LUMENS ≥ 630

COLOR

3K 4K

12W

OUTER 68(D)X140(H)
CUTOUT Ø 60MM
BEAM ANGLE 36°
LUMENS ≥ 1200

COLOR

3K 4K

BODY COLOR


BLACK PKW

POWERED BY: **bridgelux** LED

FLICKER FREE

2.5KV SURGE PROTECTION

ISOLATED DRIVER



PKW



BLACK

SWING WALL LIGHT

3W

DIMENSION $\varnothing 40 \times 75(L)$

BEAM ANGLE 36°

LUMENS ≥ 270

6W

DIMENSION $\varnothing 50 \times 98(L)$

BEAM ANGLE 36°

LUMENS ≥ 510

9W

DIMENSION $\varnothing 60 \times 105(L)$

BEAM ANGLE 36°

LUMENS ≥ 765

16W

DIMENSION $\varnothing 75 \times 135(L)$

BEAM ANGLE 36°

LUMENS ≥ 1360

24W

DIMENSION $\varnothing 100 \times 175(L)$

BEAM ANGLE 36°

LUMENS ≥ 2040




BLACK




PKW

BODY COLOR



BLACK



PKW



3K

4K

G JAKS

40

ARCH TARCK LIGHT

10W

OUTER 118X144(H)
LAMP SIZE 64MM
BEAM ANGLE 36°
LUMENS ≥1000

COLOR

3K 4K 5K 6K

20W

OUTER 138X162(H)
LAMP SIZE 72MM
BEAM ANGLE 36°
LUMENS ≥2000

COLOR

3K 4K 5K 6K


30W

OUTER 158X172(H)
LAMP SIZE 88MM
BEAM ANGLE 36°
LUMENS ≥3000

COLOR

3K 4K 5K 6K

BODY COLOR



BLACK



PKW



APOLLO TRACK LIGHT

10W

OUTER 49X139(H)
BEAM ANGLE 36°
LUMENS ≥1000

COLOR

3K 4K 6K

20W

OUTER 64X158(H)
BEAM ANGLE 36°
LUMENS ≥2000

COLOR

3K 4K 6K


30W

OUTER 75X168(H)
BEAM ANGLE 36°
LUMENS ≥3000

COLOR

3K 4K 6K

BODY COLOR



BLACK



AQUA TL-01

10W

SIZE L214XW33XH57

LUMENS ≥ 1000

COLOR

4K

20W

SIZE L346XW33XH57

LUMENS ≥ 2000

COLOR

4K

AQUA TL-02

10W

SIZE L214XW33XH57

LUMENS ≥ 1000

COLOR

4K

20W


SIZE L346XW33XH57

LUMENS ≥ 2000

COLOR

4K

BODY COLOR



BLACK



**FLICKER
FREE**







TRACK TRUNK

1 MTR
2 MTR

BODY COLOR



BLACK



PKW

HEAVY PVC BODY

NOVA CYLINDER

5W

DIMENSION 55X75(H)

BEAM ANGLE 25°

LUMENS ≥500

COLOR

3K 4K 6K

12W

DIMENSION 73X90(H)

BEAM ANGLE 25°

LUMENS ≥1200

COLOR

3K 4K 6K

20W

DIMENSION 95X110(H)

BEAM ANGLE 25°

LUMENS ≥2000

COLOR

3K 4K

BODY COLOR



BLK+RG



PKW+RG



GRACE CYLINDER

7W

DIMENSION 68X58(H)

BEAM ANGLE 120°

LUMENS ≥770

COLOR

3K 4K

12W

DIMENSION 72X72(H)

BEAM ANGLE 120°

LUMENS ≥1320

COLOR

3K 4K

18W

DIMENSION 85X80(H)


BEAM ANGLE 120°

LUMENS ≥1980

COLOR

3K 4K

BODY COLOR



SHAINING BLACK



ALPHA CYLINDER

7W

DIMENSION 56X60(H)

BEAM ANGLE 25°

LUMENS ≥630

COLOR

3K 4K

12W

DIMENSION 68X70(H)

BEAM ANGLE 25°

LUMENS ≥1200

COLOR

3K 4K

BODY COLOR



BLK + SG

BLK + PKW

BLK + BLK



PKW + SG

PKW + PKW

PKW + BLK

POWERED BY:
bridgelux
LED

FLICKER
FREE

2.5KV
SURGE
PROTECTION

ISOLATED
DRIVER



SUPERNOVA CYLINDER

7W

DIMENSION 55X75(H)

BEAM ANGLE 25°

LUMENS ≥ 630

COLOR

3K 4K 6K

12W

DIMENSION 73X90(H)

BEAM ANGLE 25°

LUMENS ≥ 1080

COLOR

3K 4K 6K

20W

DIMENSION 95X110(H)

BEAM ANGLE 25°

LUMENS ≥ 1800

COLOR


3K 4K 6K



BODY COLOR



BLK+RG



BLK+BLK



ISOLATED
DRIVER

SKYLINE DOWNLIGHT

6W

DIMENSION 75X75(H)

BEAM ANGLE 120°

LUMENS ≥ 600

COLOR

4K

15W

DIMENSION 110X75(H)

BEAM ANGLE 120°

LUMENS ≥ 1500

COLOR

4K

BODY COLOR



BLACK

 FLICKER
FREE

2.5KV
SURGE
PROTECTION

ISOLATED
DRIVER



ORA CYLINDER

3W

SIZE 39X17(H)

BEAM ANGLE 120°

LUMENS ≥300

COLOR

3K **4K**

BODY COLOR



SHAINING BLACK



ROSE GOLD

4W ELITE JUNCTION

4W


OUTER 80X40(H)

CUTOUT Ø 43MM

BEAM ANGLE 120°

LUMENS ≥ 320

COLOR



SUITABLE FOR 2.5 * 2.5 INCH DEEP JUNCTION BOX

7W ELITE JUNCTION

7W


OUTER 110X40(H)


CUTOUT Ø 70MM

BEAM ANGLE 120°

LUMENS ≥ 560

COLOR





ADORE BUTTON

2W


OUTER 40X13(H)

CUTOUT Ø 33MM

BEAM ANGLE 45°

LUMENS ≥160

COLOR



SURFACE MINI

4W

DIMENSION 70 X 15(H)

LUMENS ≥320

BEAM ANGLE 120°

COLOR



WATERPROOF STRIKER

5W

SIZE 59X15(H)

LUMENS ≥ 450

COLOR

3K



BODY COLOR



RG



BLK



PKW



BRONZE



MIRROR LIGHT

GML -01

6W - 12W


COLOR



GML -02

6W - 12W


COLOR



GML -03

6W - 12W

COLOR



GML -04

6W - 12W

COLOR



BODY COLOR



RG



BLK +
BRONZE



PKW + RG



BRONZE

GJAKS MAGNETIC AND SLIM MAGNETIC TRACK LIGHT



GMT-01



GMT-02



GMT-03




GMT-04



GMT-05



DRIVER



MAGNETIC TRACK




ACCESSORIES



SMT-01



SMT-02




SMT-03



SMT-04




SMT-05



SMT-06



SMT-07



SLIM MEGNETIC TARCK




DRIVER



ACCESSORIES





GMT-01

6W

SIZE (L)120X(W)22X(H)25

LUMENS \geq 600

12W

SIZE (L)235X(W)22X(H)25

LUMENS \geq 1200

18W

SIZE (L)348X(W)22X(H)25

LUMENS \geq 1800



GMT-02

6W


OUTER (L)117X(W)23X(H)88

LUMENS \geq 600

12W

OUTER (L)230X(W)23X(H)85

LUMENS \geq 1200



GMT-03

10W

SIZE (L)300X(W)22X(H)25

LUMENS \geq 1000

20W

SIZE (L)600X(W)22X(H)25

LUMENS \geq 2000

30W

SIZE (L)900X(W)22X(H)25

LUMENS \geq 3000



GMT-04

6W


SIZE (L)122X(W)23X(H)88

LUMENS ≥ 600

12W

SIZE (L)226X(W)23X(H)85

LUMENS ≥ 1200



GMT-05

10W

LUMENS ≥ 1000

20W

LUMENS ≥ 2000

30W

LUMENS ≥ 3000



DRIVER

100W

OUTER (L)220X(W)22X(H)25

200W

OUTER (L)300X(W)22X(H)25



 FLICKER FREE

2.5KV
SURGE
PROTECTION


4K

CONCEAL TRACK

1 MTR

2 MTR

3 MTR




SURFACE TRACK

1 MTR

2 MTR


3 MTR




ACCESSORIES




L SURFACE CONNECTOR



L CONCEAL CONNECTOR



VERTICAL CONNECTOR



I MODULE



L MODULE



HANGING POLE



HANGING SET FOR TRACK



CONCEAL JOINTER



SURFACE JOINTER



CONCEAL / SURFACE TRACK CAP



GMT-04

GMT-05

GMT-01

GMT-02

GMT-03



SMT-01

12W


SIZE (L)220X(W)28X(H)26
LUMENS ≥ 600

18W

SIZE (L)330X(W)28X(H)26
LUMENS ≥ 1200

24W

SIZE (L)440X(W)28X(H)26
LUMENS ≥ 1800



SMT-02

7W


OUTER 50X(H)200
LUMENS ≥ 600

12W

OUTER 50X(H)250
LUMENS ≥ 1200

24W

OUTER 50X(H)300
LUMENS ≥ 1200



SMT-03

12W

SIZE (L)300X(W)28X(H)26
LUMENS ≥ 600

18W

SIZE (L)450X(W)28X(H)26
LUMENS ≥ 1200

24W

SIZE (L)600X(W)28X(H)26
LUMENS ≥ 1200

36W

SIZE (L)900X(W)28X(H)26
LUMENS ≥ 1800



SMT-04

6W

SIZE (L)126X(W)53X(H)33

LUMENS ≥ 600

12W

SIZE (L)235X(W)53X(H)33

LUMENS ≥ 1200

18W

SIZE (L)340X(W)53X(H)33

LUMENS ≥ 1200

24W

SIZE (L)445X(W)53X(H)33

LUMENS ≥ 1800



SMT-05

10W

SIZE 46X(H)120

LUMENS ≥ 1000

20W

SIZE 56X(H)128

LUMENS ≥ 2000

30W

SIZE 66X(H)138

LUMENS ≥ 3000




SMT-06

12W


SIZE (L)300X(W)28X(H)26

LUMENS ≥ 1200





TRANSMITS POWER LIKE POWER MODULE AND ALSO ILLUMINATES.



SMT-07

12W

SIZE (L)200X(W)28X(H)26

LUMENS \geq 1200



DRIVER

100W

SIZE (L)190X(W)22X(H)26

200W

SIZE (L)256X(W)22X(H)26

SLIM MAGNETIC TRACK

1 MTR

2 MTR

3 MTR

SMT MODULE

L Module

I Module

POWER CONNECTOR

THE INPUT MODULE FOR ULTRA-SLIM MAGNETIC TRACK IS USED TO CONNECT A 48VDC POWER SUPPLY TO LIGHT UP THE LIGHT ATTACHMENTS.



STRIP LIGHT & ROPE LIGHT




12V GOLD STRIP




SPEED STRIP



12V SMPS



WIRE
ACCESSORIES



24V STRIP



24V SMPS



D&T STRIP



RUNNING
STRIP



RAINBOW
ROPELIGHT



SPEED
ROPELIGHT



GLOW
ROPELIGHT



GLOW RGB
ROPELIGHT



12V GOLD STRIP LIGHT

10mm
(2835-240 LAMPS)
20 WATT / MTR

COLOR



8mm
(2835-120 LAMPS)
12 WATT / MTR

COLOR



5 mm
(2835-120 LAMPS)
10 WATT / MTR


COLOR



3 LED CUT



COPPER LED **COPPER PCB**




12V SPEED STRIP LIGHT

10mm
(2835-240 LAMPS)
20 WATT / MTR

COLOR





12V AMP SMPS

2 AMP
60 WATT

5 AMP
60 WATT

10 AMP
120 WATT

12.5 AMP
150 WATT

16.67 AMP
200 WATT

25 AMP
300 WATT

33.3 AMP
400 WATT

STRIP LIGHT JOINTER

STRIP JOINTER


STRIP JOINTER WITH WIRE

STRIP L JOINTER

5MM

8MM

10MM



24V GOLD STRIP LIGHT

10mm

(2835-240 LAMPS)

20 WATT / MTR

COLOR

3K **4K** **6K**

8mm

(2835-120 LAMPS)

12 WATT / MTR

COLOR

3K **4K** **6K**

24V AMP SMPS

2.5 AMP

60 WATT

4.25 AMP

100 WATT

6.25 AMP

150 WATT

8.25 AMP


200 WATT

12.5 AMP

300 WATT

16.65 AMP

400 WATT



10 MM - 240 LAMPS

8 MM - 120 LAMPS

3 LED CUT





PRO D&T STRIP-12V

12V
(2835- 192 LED) / 8MM
24 LUMENS PER LED

COLOR



COPPER LED **COPPER PCB**

**TO BE INSTALLED
WITH 12V SMPS**

3IN1 D&T CONTROLLER

RUNNING STRIP-24V

24V
(2835- 120 LED) / 8MM
24 LUMENS PER LED

COLOR
3K 4K

COPPER LED COPPER PCB

20 DIFFERENT MODES

TO BE INSTALLED
WITH 24V SMPS




RUNNING STRIP CONTROLLER




RAINBOW ROPELIGHT

(2835-120 LAMPS/MTR)
7 WATT / MTR
600 LUMENS PER MTR


COLOR



CORD



2.5 KV CORD



SPEED ROPELIGHT

(5730-120 LAMPS)

COLOR



WHITE

Natural
WHITE

Warm
WHITE

BLUE

PINK

GREEN



GLOW ROPELIGHT

2835 120 LED
WIRELESS ROPELIGHT
20 LUMENS PER LED
LENGTH : 50 MTR

COLOR

3K

4K


6K

PINK

BLUE

GREEN

10.4MM
PVC
THICKNESS




5.2MM
PVC
THICKNESS

8MM
PCB
THICKNESS


RGB GLOW SERIES

5050 - 60 LED
WIRELESS ROPELIGHT
LENGTH : 50 MTR

COLOR



12MM
PVC
THICKNESS



4.5MM
PVC
THICKNESS

10 MM
PCB
THICKNESS


STREET & FLOOD LIGHT

79



LUMEX FLOOD

81



SPEED FLOOD

82



HIGHBAY

83



AMMO STREET LIGHT

84



SPEED STREET LIGHT



LUMEX FLOOD

30W

LUMENS ≥ 3000

COLOR

6K 3K

50W

LUMENS ≥ 5000

COLOR

6K 3K

100W

LUMENS ≥ 10000

COLOR

6K 3K

150W

LUMENS ≥ 15000

COLOR

6K 3K

200W

LUMENS ≥ 20000

COLOR


6K 3K

**PIECE TO PIECE
REPLACEMENT**

**6 KV
SURGE
PROTECTION**

**130 TO 140
LUMENS
PER LED**

**IP65
WATERPROOF**






30W




50W



100W



150W



200W

Lumex Flood

SPEED FLOOD

30W

LUMENS ≥ 3000

COLOR

6K 3K

50W

LUMENS ≥ 5000

COLOR

6K 3K

100W

LUMENS ≥ 10000

COLOR

6K 3K



IP 65

4 KV
SURGE
PROTECTION

IP65
WATERPROOF

HIGHBAY

50W

LUMENS ≥ 5000

COLOR

6K 3K

100W

LUMENS ≥ 10000

COLOR

6K 3K

200W

LUMENS ≥ 20000

COLOR

6K 3K

6 KV
SURGE
PROTECTION

IP65
WATERPROOF





AMMO STREET LIGHT

24W

LUMENS ≥ 2400

COLOR

6K 3K

36W

LUMENS ≥ 3600

COLOR

6K 3K

50W

LUMENS ≥ 5000

COLOR

6K 3K

72W

LUMENS ≥ 7200

COLOR

6K 3K

100W

LUMENS ≥ 10000

COLOR

6K 3K

6 KV
SURGE
PROTECTION

IP65
WATERPROOF

SPEED STREET LIGHT

24W

LUMENS ≥ 2400

COLOR

6K

36W

LUMENS ≥ 3600

COLOR

6K



WE HELP YOU
SEE THE WORLD

 GJAKS

Our Authorised Dealer



 GJAKSLIGHTING@GMAIL.COM

Follow us on :    GJAKS_LED